

## Recommended Childhood and Adolescent Immunization Schedule North Dakota Immunization Advisory Committee

Vaccine	Age	Birth	2 mo	4 mo	6 mo	12 mo	15 mo	18 mo	24 mo	4-6 yr	11-12 yr	13-18 yr
	Hepatitis B	Hep B										
Inactivated Poliovirus (IPV)		<b>Pediarix®</b> Hep B IPV DTaP	<b>Pediarix®</b> Hep B IPV DTaP	<b>Pediarix®</b> Hep B IPV DTaP						<b>Kinrix®</b> or IPV #4 DTaP #5		
Diphtheria, tetanus, pertussis					DTaP #4						Tdap	Tdap (if not given at 11 - 12 yr.)
<i>Haemophilus influenzae</i> type b ( <b>PedvaxHIB®</b> )		Hib #1	Hib #2		Hib #3							
Rotavirus		RV #1 (6 - 14 wks) (must be given by 14 wks, 6 days)	RV #2	RV #3* (must be given by 8 months, 0 days)								
Pneumococcal ( <b>Prenar13®</b> )		PCV13 #1	PCV13 #2	PCV13 #3	PCV13 #4	PCV13 supplemental dose for children < 5 who completed PCV7 series.						
Measles, Mumps, Rubella (MMR)					<b>ProQuad® (MMRV)</b> or MMR #1 Varicella #1					<b>ProQuad® (MMRV)</b> or MMR #1 Varicella #1		
Varicella (Chickenpox)												
Hepatitis A					Hep A #1			Hep A #2	Hepatitis A series for children not previously vaccinated			
Influenza				Influenza (yearly for all children 6 months – 18 years)								
HPV ( <b>Gardasil®</b> )											#1: Now #2: 2 mo. #3: 6 mo.	If not given at age 11 - 12 years
Meningococcal ( <b>Menactra®</b> )											MCV4	MCV4

\*If a child receives Rotateq® (3-dose rotavirus vaccine) or an unknown brand of rotavirus for the first or second dose in the rotavirus series, than 3 doses of rotavirus vaccine are needed.



This schedule is to be used as a guide in vaccinating children with vaccines provided by the North Dakota Immunization Program. Please refer to the CDC Recommended Childhood and Adolescent Schedule for more detail and for the catch-up schedule. Please contact the Immunization Program at 800.472.2180 with any questions about vaccine availability or the schedule.

**Reviewed 02/2011**